


Permanent Split Capacitor High Efficiency Condenser Fan 5.6" Diameter, Totally Enclosed, Air Over (TEAO)

APPLICATIONS:

High efficiency PSC motors for condenser fans.

FEATURES:

- 76% Efficiency Design
- 158°F (70°C) Ambient Design
- Ball Bearings Have All Angle Thrust System
- Class F Insulation
- Designed For Use With 370V Capacitors
- Ball Bearing
- 48" Leads
- Hubless Lead End
- Drain Holes Both Ends
- Reversible Rotation
- Automatic Reset Thermal Overload Protector
- Continuous Duty



Stud Mount, Without Capacitor, Extreme High Ambient Design, All Angle Mount

HP	RPM/ Spd.	Voltage	Catalog Number	Cap. MFD	Amps	Shaft N	Shell XI	Total C	Ship Wt.
1/6	1075	208-230	1859PEP	5.0	0.9	5.0	4.1	9.1	12
1/4	1075	208-230	1860PEP	5.0	1.4	5.0	4.6	9.6	13
		460	3736PEP	7.5	0.7	5.0	4.6	9.6	13
1/3	1075	208-230	1861PEP	7.5	1.7	5.0	5.1	10.1	14
		460	3737PEP	7.5	1.0	5.0	5.1	10.1	17
1/2	1075	208-230	1862PEP	10	2.5	5.0	5.6	10.6	19
		460	3738PEP	10	1.4	5.0	5.6	10.6	19